	Application No.	Applicant(s)
Notice of Allowability	10/676,540 Examiner	ALTMAN ET AL. Art Unit
	B. James Peikari	2189
The MAILING DATE of this communication at claims being allowable, PROSECUTION ON THE MERITS brewith (or previously mailed), a Notice of Allowance (PTOLOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT the Office or upon petition by the applicant. See 37 CFR 1.	SIS (OR REMAINS) CLOSED in -85) or other appropriate community of the comm	this application. If not included nication will be mailed in due course. THIS
igtimes This communication is responsive to $the amendment fine the communication is responsive to$	<u>led on May 2, 2005</u> .	
☑ The allowed claim(s) is/are 15-26, now renumbered 1-	<u>12</u> .	
☑ The drawings filed on 20 January 2004 are accepted b	y the Examiner.	
Acknowledgment is made of a claim for foreign priorit a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents h 2. ☐ Certified copies of the priority documents h 3. ☐ Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)).	nave been received. nave been received in Application	n No
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DA' noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requirements
A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which		
☐ CORRECTED DRAWINGS (as "replacement sheets")	must be submitted.	
(a) Including changes required by the Notice of Drafts	•	(PTO-948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Exami Paper No./Mail Date	ner's Amendment / Comment or	in the Office action of
Identifying indicia such as the application number (see 37 CI		
each sheet. Replacement sheet(s) should be labeled as such	_	
DEPOSIT OF and/or INFORMATION about the deattached Examiner's comment regarding REQUIREME		
tachment(s)	- -	annel Detect Anglication (DTO 450)
Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-9-	<u></u>	ormal Patent Application (PTO-152)
	Paper No./N	mmary (PTO-413), Mail Date
M Information Diadours Statements (DTO 1440 or DTO)	SB/08), 7. ⊠ Examiner's A	Amendment/Comment
 ✓ Information Disclosure Statements (PTO-1449 or PTO/S Paper No./Mail Date <u>3 IDSs Enclosed</u> ✓ Examiner's Comment Regarding Requirement for Depo 	sit 8. ☐ Examiner's \$	Statement of Reasons for Allowance

Application/Control Number: 10/676,540 Page 2

Art Unit: 2189

۱Š

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

- Change the title to read, "METHOD AND SYSTEM FOR
 MAINTAINING COHERENCY IN A MULTIPROCESSOR SYSTEM
 BY BROADCASTING TLB INVALIDATED ENTRY
 INSTRUCTIONS".
- 2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Peikari whose telephone number is (571) 272-4185. The examiner is generally available between 7:00 am and 7:30 pm, EST, Monday through Wednesday, and between 5:30 am and 4:00 pm on Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Kim, can be reached at (571) 272-4182.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Tech Center 2100 central hotline at (571) 272-2100.

Art Unit: 2189

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(703) 746-7239 (Official communications)

or:

(703) 746-7240 (for Informal or Draft communications)

or:

(703) 746-7238 (for After-Final communications)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington. VA., Sixth Floor (Receptionist).

B. James Peikari **Primary Examiner** Art Unit 2186

5/27/05

Page 3